

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Condition
1	BRS	2319	709/220,223,224,238,244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /18 09:27		0
2	BRS	580	709/220,223,224,238,244.ccls. and router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /21 06:17		0
3	BRS	2	((709/220,223,224,238,244.ccls. and router) and (configuration adj data) and database) and ((lookup adj table) or (look-up adj table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /21 06:19		0
4	BRS	26	((709/220,223,224,238,244.ccls. and router) and (configuration adj data) and database) and regist\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /21 10:49	Truncation overflow. Returns string	1

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Errors
5	BRS	13	(((((709/220,223,224,238,244.ccls. and router) and (configuration adj data) and database) and regist\$) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /21 10:49		0
6	BRS	42	((709/220,223,224,238,244.ccls. and router) and (configuration adj data) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /21 13:39		0
7	BRS	1199	707/1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /21 13:39		0
8	BRS	17	(709/220,223,224,238,244.ccls. and unregist\$) and delet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /26 13:15		0
9	BRS	38	709/220,223,224,238,244.ccls. and unregist\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /26 13:16		0

	Type	Hits	Search Text	DBs	Time Stamp	Command Comments	Error Messages
10	BRS	14	((709/220,223,224,238,244.ccls. and unregist\$) and delet\$) and modif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /26 13:16	Truncation overflow. Return string	1
11	BRS	54	(709/220,223,224,238,244.ccls. and router) and (configuration adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:38		0
12	BRS	1	((709/220,223,224,238,244.ccls. and router) and (configuration adj data)) and (delet\$ adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /26 13:18		0

	Type	Hits	Search Text	DBs	Time Stamp	Command Errors	Truncation Overflow Returns string f	Errors
13	BRS	24	((709/220,223,224,238,244. ccls. and router) and (configuration adj data)) and delet\$) and modif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /26 13:25		1	
14	BRS	28	((709/220,223,224,238,244. ccls. and router) and (configuration adj data)) and delet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/11 /27 10:46		0	
15	BRS	9	database same (router adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 12:57		0	
16	BRS	0	(perform\$3 or transact\$3 or execut\$3 or manag\$3 or handl\$3) same (router adj (notification or announcement or notice\$1 or warning))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05 /06 08:05		0	

	Type	Hits	Search Text	DBs	Time Stamp	Command Errors	Errors
17	BRS	11	(database or library or list\$1 or table\$1) near2 (router adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05 /06 09:55		0
18	BRS	127	(register\$3 or registration) same change\$1 same (configuration adj data)	USPAT	2002/05 /06 10:15		0
19	BRS	9	((register\$3 or registration) same change\$1 same (configuration adj data)) and (707/\$.ccls or 709/\$.ccls.)	USPAT	2002/05 /06 10:15		0
20	BRS	3	router\$1 with (notification near2 change\$1)	USPAT	2002/08 /02 07:04		0
21	BRS	82	(router\$1 same notification) and database	USPAT	2002/08 /02		0
22	BRS	2	(router.ti. and database) and notification	USPAT	2002/08 /02		0
23	BRS	42	router.ti. and database	USPAT	2002/08 /02		0
24	BRS	1	6233582.pn.	USPAT	2002/08 /02		0
25	BRS	0	6233582.pn. and router	USPAT	2002/08 /02		0
26	BRS	0	6301613.pn. and router	USPAT	2002/08 /02		0
27	BRS	1	6233582.pn. and system	USPAT	2002/08 /02		0
28	BRS	0	6233582.pn. and router	USPAT	2002/08 /02		0
29	BRS	1	6233582.pn. and notification	USPAT	2002/08 /02		0
30	BRS	1	(6233582.pn. and notification) and database	USPAT	2002/08 /02		0
31	BRS	1	6119157.pn.	USPAT	2002/08 /02		0
32	BRS	1	6119157.pn. and database	USPAT	2002/08 /02		0
33	BRS	0	(6119157.pn. and database) and router	USPAT	2002/08 /02		0
34	BRS	1	(6119157.pn. and database) and configuration	USPAT	2002/08 /02		0

	Type	Hits	Search Text	DBs	Time Stamp	Errors	Errors
						Command	Errors
35	BRS	1	(6119157.pn. and database) and (configuration near2 change\$1)	USPAT	2002/08/02 08:18		0
36	BRS	1	((6119157.pn. and database) and (configuration near2 change\$1)) and register\$3	USPAT	2002/08/02 08:19		0
37	BRS	0	router.ti. and (central\$4 near2 database)	USPAT	2002/08/02		0
38	BRS	19	router same (central\$4 near2 database)	USPAT	2002/08/02		0
39	BRS	6	(router same (central\$4 near2 database)) and notification\$1	USPAT	2002/08/02 08:39		0
40	BRS	19	((notification or notify or notifi\$2) and router).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:17		0
41	BRS	13	((notification or notify or notifi\$2) and router).ab.) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:00		0
42	BRS	121	((notification or notify or notifi\$2) and router).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:14		0
43	BRS	5	((notification or notify or notifi\$2) and router).ab.) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:14		0
44	BRS	1	((notification or notify or notifi\$2) and router).ab.) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:14		0
45	BRS	5	((notification or notify or notifi\$2) and router).ab.) and (709/\$.ccls. or 707/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:14		0
46	BRS	7407	(notification or notify or notifi\$2).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/05 13:25		0

	Type	Hits	Search Text	DBs	Time Stamp	C	o	r	d	E
						o	m	m	e	r
						n	e	n	s	i
						t	s	t	i	o
47	BRS	92	((notification or notify or notifi\$2).ti.) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 13:17					0
48	BRS	76	((notification or notify or notifi\$2).ti.) and router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 13:25					0
49	BRS	27	((notification or notify or notifi\$2).ti.) and router\$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 13:45					0
50	BRS	4216	database with configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 14:55					0
51	BRS	17	database with (router\$1 near2 configuration\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 13:47					0
52	BRS	650	(database with configuration) and router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 14:55					0
53	BRS	392	((database with configuration) and router) and (register\$3 or registry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 14:56					0
54	BRS	150	(database with configuration) and (router\$1 with configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 14:56					0
55	BRS	97	((database with configuration) and (router\$1 with configuration)) and (register\$3 or registry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 14:56					0

	Type	Hits	Search Text	DBs	Time Stamp	C	o	r	r	E
						o	m	d	r	r
						s	m	e	f	f
						t	n	n	i	s
						s	s	s	t	s
						i	i	i	i	i
						o	o	o	o	o
56	BRS	36	((database with configuration) and (router\$1 with configuration)) and (register\$3 or registry) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08 /05 14:57					0
57	BRS	3579	configuration near1 (database or list or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:19					0
58	BRS	24770	router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /26 10:56					0
59	BRS	681	chang\$3 with (configuration adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:21					0
60	BRS	32	(configuration near1 (database or list or table)) and router\$1 and (chang\$3 with (configuration adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /26 10:59					0
61	BRS	135	router and (data adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:30					0
62	BRS	22	(709/220,223,224,238,244.ccls. and router) and (data adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 08:54					0
63	BRS	12	(database or library or list or table) near2 (router adj configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:29					0
64	BRS	125765	(router\$1 or rout\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:35					0

	Type	Hits	Search Text	DBs	Time Stamp	Com m e n t s	E r r o r s
65	BRS	2630	data adj configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:20		0
66	BRS	50	(chang\$3 with (configuration adj data)) and ((router\$1 or rout\$3).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:44		0
67	BRS	3522	(router\$1).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:36		0
68	BRS	1	(data adj configuration) and ((router\$1).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:37		0
69	BRS	12573	data near configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:39		0
70	BRS	24	((router\$1).ti.) and (data near configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 10:39		0
71	BRS	2	(chang\$3 with (data adj configuration)) and ((router\$1 or rout\$3).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 15:19		0
72	BRS	2	6078963.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /27 15:19		0
73	BRS	397	(data adj mining).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 08:11		0
74	BRS	5	((data adj mining).ab.) and (support near count)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 08:12		0

	Type	Hits	Search Text	DBs	Time Stamp	Error Comments	Error Info
75	BRS	70	support near count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 13:00		0
76	BRS	69	(request near notification) with change\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 13:02		0
77	BRS	115	(request near3 notification) with change\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 14:02		0
78	BRS	24770	router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 13:02		0
79	BRS	17	((request near3 notification) with change\$1) and router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 13:02		0
80	BRS	1288	configuration near database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 13:40		0
81	BRS	2	((request near3 notification) with change\$1) and (configuration near database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 13:40		0
82	BRS	123	(network near2 configuration) near2 file\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 14:59		0
83	BRS	35	router\$1 and ((network near2 configuration) near2 file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 14:58		0
84	BRS	0	((request near3 notification) with change\$1) and ((network near2 configuration) near2 file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 14:58		0

	Type	Hits	Search Text	DBs	Time Stamp	C o m m e n t s	E r r o r s
85	BRS	5206	configuration near2 file\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 14:59		0
86	BRS	7	((request near3 notification) with change\$1) and (configuration near2 file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09 /30 14:59		0
87	BRS	1289	configuration near database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /01 07:26		0
88	BRS	12590	(configuration near data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /01 07:27		0
89	BRS	3573016	change\$1 or chang\$3 or modify\$3 or modifi\$2 or updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /01 07:28		0
90	BRS	1270	((configuration near data)) with (change\$1 or chang\$3 or modify\$3 or modifi\$2 or updat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /01 07:28		0
91	BRS	124	(configuration near database) and (((configuration near data)) with (change\$1 or chang\$3 or modify\$3 or modifi\$2 or updat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 09:56		0
92	BRS	68	(configuration near database) and (((configuration near data)) with (change\$1 or chang\$3 or modify\$3 or modifi\$2 or updat\$3)) and flag\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 09:56		0
93	BRS	16	(configuration near database) and (((configuration near data)) with (change\$1 or chang\$3 or modify\$3 or modifi\$2 or updat\$3)) and (flag\$1 with record\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 10:03		0

	Type	Hits	Search Text	DBs	Time Stamp	Com men ts	Er r o r s
94	BRS	81	notification adj flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 10:16		0
95	BRS	27902	access adj control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 10:17		0
96	BRS	239	(access adj control) with flag\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 10:17		0
97	BRS	3631	read\$3 with writ\$3 with flag\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 10:18		0
98	BRS	153	(read\$3 with writ\$3 with flag\$1) and record and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 10:18		0
99	BRS	3582	configuration near (database or list or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:19		0
100	BRS	530	(configuration near (database or list or table)) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:19		0
101	BRS	12590	data near configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:20		0
102	BRS	208	((configuration near (database or list or table)) and tree) and (data near configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:20		0
103	BRS	750	chang\$3 with (data near configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:21		0

	Type	Hits	Search Text	DBs	Time Stamp	C	o	r	r	E
						m	m	e	r	r
						n	n	s	s	s
						t	t	i	i	i
						s	s	o	o	o
104	BRS	43	((configuration near (database or list or table)) and tree) and (chang\$3 with (data near configuration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10 /02 13:22					0
105	BRS	29781	router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:35					0
106	BRS	84502	operating adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:15					0
107	BRS	1	sysDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:16					0
108	BRS	6901	router\$1 and (operating adj system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:16					0
109	BRS	13094	AAA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:16					0
110	BRS	68	(router\$1 and (operating adj system)) and AAA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:17					0
111	BRS	1668	(router\$1 and (operating adj system)) and subsystem\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:39					0
112	BRS	1090	((router\$1 and (operating adj system)) and subsystem\$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:40					0
113	BRS	742	((router\$1 and (operating adj system)) and subsystem\$1) and database) and (notifi\$2 or notify\$3 or notification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:20					0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error	Errors
114	BRS	715	(((((router\$1 and (operating adj system)) and subsystem\$1) and database) and (notifi\$2 or notify\$3 or notification\$1)) and configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:23			0
115	BRS	85	((router\$1 and (operating adj system)) and subsystem\$1) and (configuration adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:24			0
116	BRS	30737	router\$1 or (routing adj device\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:36			0
117	BRS	431	(router\$1 or (routing adj device\$1)) with subsystem\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:39			0
118	BRS	266	((router\$1 or (routing adj device\$1)) with subsystem\$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02 /19 13:40			0
119	BRS	0	AAA adj subsytem\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /29 13:36			0
120	BRS	0	AAA adj subsystem\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /29 13:36			0
121	BRS	64	router\$1 and AAA and PPP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /29 13:37			0
122	BRS	14793	(router or routing).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 07:18			0

	Type	Hits	Search Text	DBs	Time Stamp	C	o	r	r
						m	m	e	s
						n	e	f	i
						s	t	i	o
123	BRS	377	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 07:19				0
124	BRS	161	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 07:19				0
125	BRS	174	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 07:19				0
126	BRS	107	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 07:58				0
127	BRS	70	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and configuration) and identification\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 07:58				0
128	BRS	160	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and (configuration near\$4 chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:02				0
129	BRS	108	((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and (configuration near\$4 chang\$3)) and identification\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:00				0

	Type	Hits	Search Text	DBs	Time Stamp	Com men ts	Er r o r s
130	BRS	69	(((((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and (configuration near\$4 chang\$3)) and identification\$1) and @ad<19991012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:02		0
131	BRS	20	(((((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and (configuration near\$4 chang\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:02		0
132	BRS	11	(((((router or routing).ti.) and (sub-system\$1 or subsystem\$1)) and database\$1) and (configuration near\$4 chang\$3)) and @ad<19991012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:15		0
133	BRS	0	((router or routing).ti.) and ((request\$3 with chang\$3) with (configuration adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:17		0
134	BRS	0	((router or routing).ti.) and ((notif\$5 with chang\$3) with (configuration adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:17		0
135	BRS	50	((request\$3 with chang\$3) with (configuration adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:55		0
136	BRS	70	(MIB adj tree) and router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 09:37		0
137	BRS	6	(MIB adj tree) and router\$1 and (updat\$3 with configuration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 08:59		0

	Type	Hits	Search Text	DBs	Time Stamp	Com m e n t s	Er r o r s
138	BRS	1	(MIB adj tree) with updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 09:03		0
139	BRS	108	MIB adj tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07 /30 09:04		0
140	BRS	0	cofiguration adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 13:19		0
141	BRS	1861	configuration near database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 13:20		0
142	BRS	1476	(chang\$3 or updat\$3) with (configuration near data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 13:22		0
143	BRS	462	((chang\$3 or updat\$3) with (configuration near data)) and flag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 13:24		0
144	BRS	102	((((chang\$3 or updat\$3) with (configuration near data)) and flag\$4) and router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 13:53		0
145	BRS	94	(((((chang\$3 or updat\$3) with (configuration near data)) and flag\$4) and router\$1) and (ID or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:10		0
146	BRS	279	709/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:53		0
147	BRS	4	((chang\$3 or updat\$3) with (configuration near data)) and 709/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:14		0

	Type	Hits	Search Text	DBs	Time Stamp	Com	Errors
						ments	itions
148	BRS	119280	notify\$3 or notifi\$2 or notification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:55		0
149	BRS	4048310	chang\$3 or updat\$3 or modif\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:55		0
150	BRS	8417	(notify\$3 or notifi\$2 or notification) near3 (chang\$3 or updat\$3 or modif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:56		0
151	BRS	603	((notify\$3 or notifi\$2 or notification) near3 (chang\$3 or updat\$3 or modif\$7)) same configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:57		0
152	BRS	48	((notify\$3 or notifi\$2 or notification) near3 (chang\$3 or updat\$3 or modif\$7)) same (configuration adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /08 14:58		0
153	BRS	8546	configuration with (ID or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /15 14:24		0
154	BRS	25	(configuration adj (datastore\$1 or (data adj store\$1))) with (ID or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /15 14:26		0
155	BRS	87	(configuration adj database)with (ID or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /15 14:26		0
156	BRS	14888	configuration adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /27 14:02		0
157	BRS	554	(configuration adj data) with (ID or identification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /27 14:04		0

	Type	Hits	Search Text	DBs	Time Stamp	C	r	E
						o	m	r
						m	e	r
						n	n	r
						s	i	s
						t	t	i
						i	o	o
158	BRS	341	((configuration adj data) with (ID or identification\$1)) and @ad<19991012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /27 14:49			0
159	BRS	2	6115715.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /28 12:50			0
160	BRS	15948	configuration adj data\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /28 12:51			0
161	BRS	352	(configuration adj data\$5) with updat\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /28 12:52			0
162	BRS	498	(configuration adj data\$5) with modif\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /28 12:51			0
163	BRS	899	configuration adj data\$5 with identif\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /28 12:52			0
164	BRS	178	((configuration adj data\$5) with updat\$1) and (ID or identifi\$6)) and @ap<19991012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /28 12:54			0
165	BRS	290	((configuration adj data\$5) with updat\$1) and (ID or identifi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 06:43			0
166	BRS	2524	(configuration adj data\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 06:44			0
167	BRS	631	(configuration adj data\$5).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 07:28			0

	Type	Hits	Search Text	DBs	Time Stamp	Com	mer	Errors
						ments	its	ratio
168	BRS	306388	(ID or identifi\$6).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 06:45			0
169	BRS	56	((configuration adj data\$5).ti.) and ((ID or identifi\$6).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 06:45			0
170	BRS	54	(configuration adj database\$1).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09 /02 07:24			0
171	BRS	2100	node\$1 with verif\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 07:29			0
172	BRS	2	((configuration adj data\$5).ti.) and (node\$1 with verif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08 /29 07:29			0
173	BRS	2	6115715.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09 /02 07:24			0
174	BRS	3	6704752.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /29 14:05			0
175	BRS	1	6728723.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /29 14:11			0
176	BRS	2420	cisco.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /29 14:11			0
177	BRS	16	cisco.as. and configuration adj database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /29 14:12			0

	Type	Hits	Search Text	DBs	Time Stamp	Error Corrections	Error Ratio
178	BRS	45562	709/\$.ccls. or 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:39		0
179	BRS	5269	(709/\$.ccls. or 707/\$.ccls.) and (configuration adj (data or information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:42		0
180	BRS	5660	(709/\$.ccls. or 707/\$.ccls.) and (configuration near (data or information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:40		0
181	BRS	3475	((709/\$.ccls. or 707/\$.ccls.) and (configuration near (data or information))) and (notif\$7 or inform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:42		0
182	BRS	2482	((709/\$.ccls. or 707/\$.ccls.) and (configuration near (data or information))) and (notif\$7 or inform\$3)) and database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:41		0
183	BRS	317	(709/\$.ccls. or 707/\$.ccls.) and (chang\$3 near3 (configuration adj (data or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:42		0
184	BRS	224	((709/\$.ccls. or 707/\$.ccls.) and (chang\$3 near3 (configuration adj (data or information)))) and (notif\$7 or inform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:47		0
185	BRS	95	((709/\$.ccls. or 707/\$.ccls.) and (chang\$3 near3 (configuration adj (data or information)))) and (notif\$7 or inform\$3) and router\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04 /30 06:47		0